



High-Solids Enamel Topcoat



Exterior durability from a single-component topcoat

Engineered specifically with production times in mind, SPECTRACRON® 150 Series topcoats provide a fast-drying, low-VOC option to help keep shop productivity high and footprint low. Custom color capabilities and a wide range of gloss levels coupled with the fast dry times provide excellent flexibility and production throughput. *Spectracron* 150 Series topcoats offer outstanding exterior durability, ensuring your product looks good, even in harsh outdoor environments.

Product Benefits

- Engineered for fast drying
- Excellent exterior durability
- Single-component, high-solids formula
- Available in custom colors and gloss levels
- Compatible with a variety of primers
- Can be applied to blasted substrates
- Very good hardness and flexibility of topcoats

Segments

Agricultural Equipment

Fabricated Metal

Heavy-Duty Equipment

Industrial Equipment

Material Handling

Telecommunications

Transportation



PPG Spectracron® 150 Series




Paired with more than 1,000 professional service centers across North America and an industry-leading technical team, the PPG TRUEFINISH® team provides a vast lineup and knowledge of high-quality industrial coatings backed by local store stocking and delivery. This system ensures you get the products and knowledge you need when you need them.

Product Characteristics

Color	Custom colors
Gloss @ 60° (ASTM D523)	10 - 90
VOC	3.5 lbs./gal. (420 g/L)
Applications	Cold-rolled steel, hot-rolled steel, blasted steel, aluminum

Performance Properties*

Pencil Hardness (ASTM D3363)	HB - H
Conical Mandrel Bend (1/8", ASTM D522)	Pass, 180°
Impact Resistance (Direct/Reverse - ASTM 2794)	Good
Adhesion (ASTM D3359)	Good
Humidity Resistance (100 Hours - ASTM D2247)	Pass
Salt Spray Resistance (200 Hours - ASTM B117)	Pass
Chemical Resistance	Pass
Recommended Primers	<i>Spectracron 111, Spectracron 135, Spectracron 501</i>



*These results were obtained over iron phosphate-treated CRS panels.

This document contains general information only and should not be construed as creating any warranties, express or implied. Please contact a PPG representative for additional information. The PPG Logo, PPG TrueFinish and Spectracron are registered trademarks and We protect and beautify the world is a trademark of PPG Industries Ohio, Inc. ©2017 PPG Industries, Inc. All rights reserved. 12/17 TF2028

